

# 価 格 表

2025 年 度

## 製品取扱いと施工上のご注意

### 1. 運搬・据付け時のご注意

- ・製品に衝撃を与えたり誤って落下させますと負傷や破損等、事故の原因となりますので取扱いには十分ご注意ください。

### 2. 蓋と受枠部の異物除去のお願い

- ・蓋と受枠の接触面に砂や小石等の異物がありますと蓋のガタツキ等、ボックス全体に悪い影響を与えますので必ず除去して下さい。

### 3. 蓋・受枠部のカラー表示部について

- ・カラー表示部の樹脂面は衝撃、熱、薬品等の影響より汚れ、変色、剥離の原因となることがありますので十分ご注意ください。

### 4. ブロック据付けについて

- ・据付け時にブロックの高さや勾配調整のため、嵌合部に木片やクサビ等を挟み込みますとブロック破損の原因となることがありますので異物を挟み込まないで下さい。
- ・ボックスの底部には最下段に使用するブロックと適合するスラブを選択してご使用下さい。

- ※ 価格は工場渡し価格です。
- ※ 消費税は含まれておりません。
- ※ デザイン蓋・カラー蓋についても承ります。
- ※ 新規ネーム・マーク・デザインについては、型代の実費をお願い致します。
- ※ 予告なしにモデルチェンジする場合があります。
- ※ 価格の改正を行う場合がありますので、予めご了承下さい。

# 上水道用

## コンクリート製

ページ

|                |   |
|----------------|---|
| 仕切弁室 .....     | 2 |
| 消火栓・空気弁室 ..... | 4 |

## レジンコンクリート製

|                              |    |
|------------------------------|----|
| 円形1号 .....                   | 6  |
| 円形2号 .....                   | 7  |
| 円形3号 .....                   | 8  |
| 円形4号 .....                   | 9  |
| 角形1号、角形44×33型 .....          | 10 |
| 角形2号、角形55×35型 .....          | 11 |
| 角形60×40型、ボルト・ナット・ワッシャー ..... | 12 |

## 組立参考表

|                                       |    |
|---------------------------------------|----|
| コンクリート製 仕切弁室 .....                    | 14 |
| コンクリート製 消火栓・空気弁室 .....                | 16 |
| レジンコンクリート製 円形1・2・3号 .....             | 18 |
| レジンコンクリート製 円形4号、角形1・2号 .....          | 19 |
| レジンコンクリート製 角形44×33・55×35・60×40型 ..... | 20 |

## 仕 切 弁 室

### 蓋 付 枠

| 品 名       | 用 途   | 寸 法 (mm)    | 参考重量(kg) | 価 格    | 備 考                    |
|-----------|-------|-------------|----------|--------|------------------------|
| D12蓋付枠 20 | 地 表 部 | φ 126 × 200 | 12       | 13,010 |                        |
| 〃 25      | 〃     | φ 126 × 250 | 15       | 13,230 |                        |
| 〃 30      | 〃     | φ 126 × 300 | 18       | 13,230 |                        |
| D16蓋付枠 30 | 〃     | φ 160 × 300 | 25.5     | 21,280 |                        |
| 〃 40凹     | 〃     | φ 160 × 400 | 34       | 22,970 |                        |
| 〃 40      | 〃     | φ 160 × 400 | 37       | 22,970 |                        |
| D20蓋付枠    | 〃     | φ 200 × 200 | 38       | 27,530 |                        |
| 〃 ( )R    | 〃     | φ 200 × 200 | 38       | 31,350 | ( )内には「青」「黄」「赤」等のカラー表示 |
| D24蓋付枠    | 〃     | φ 240 × 200 | 42       | 34,460 |                        |
| 〃 ( )R    | 〃     | φ 240 × 200 | 42       | 39,310 | ( )内には「青」「黄」「赤」等のカラー表示 |
| D24蓋付S枠   | 〃     | φ 240 × 200 | 47       | 38,220 | 寒冷地仕様                  |
| D32蓋付枠    | 〃     | φ 320 × 200 | 59       | 53,130 |                        |
| 〃 ( )R    | 〃     | φ 320 × 200 | 59       | 59,320 | ( )内には「青」「黄」「赤」等のカラー表示 |

### 嵩上枠・中蓋

| 品 名     | 用 途   | 寸 法 (mm)   | 参考重量(kg) | 価 格 | 備 考 |
|---------|-------|------------|----------|-----|-----|
| 12嵩上枠PP | 地 表 部 | φ 100 × 30 | 0.15     | 900 |     |
| 12中蓋PP  | 蓋付枠内  | φ 100 × 20 | 0.03     | 420 |     |

### 中間ブロック

| 品 名      | 用 途 | 寸 法 (mm)                  | 参考重量(kg) | 価 格    | 備 考 |
|----------|-----|---------------------------|----------|--------|-----|
| 25B 40   | 中 間 | φ 250 × 400               | 47       | 6,580  |     |
| 25B 30   | 〃   | φ 250 × 300               | 37       | 5,490  |     |
| 25B 20   | 〃   | φ 250 × 200               | 27.5     | 4,640  |     |
| 25B 15   | 〃   | φ 250 × 150               | 22.5     | 4,260  |     |
| 25B 12.5 | 〃   | φ 250 × 125               | 20       | 3,950  |     |
| 25B 10   | 〃   | φ 250 × 100               | 17.5     | 3,450  |     |
| 25C 30凹  | 〃   | φ $\frac{250}{320}$ × 300 | 42       | 6,560  |     |
| 25C 20凹  | 〃   | φ $\frac{250}{320}$ × 200 | 32       | 5,670  |     |
| 25C 15凹  | 〃   | φ $\frac{250}{320}$ × 150 | 27.5     | 5,100  |     |
| 25C 10凹  | 〃   | φ $\frac{250}{320}$ × 100 | 22       | 4,500  |     |
| 32B 30   | 〃   | φ 320 × 300               | 50       | 7,300  |     |
| 32B 20   | 〃   | φ 320 × 200               | 38       | 5,490  |     |
| 32B 12.5 | 〃   | φ 320 × 125               | 28       | 4,800  |     |
| 32B 10   | 〃   | φ 320 × 100               | 22.5     | 4,300  |     |
| 32C 30凹  | 〃   | φ $\frac{320}{450}$ × 300 | 63       | 10,130 |     |
| 32C 15凹  | 〃   | φ $\frac{320}{450}$ × 150 | 43       | 8,210  |     |

### 勾配付中間嵩上ブロック

| 品 名    | 用 途  | 寸 法 (mm)      | 参考重量(kg) | 価 格   | 備 考               |
|--------|------|---------------|----------|-------|-------------------|
| 25B 5% | 中間嵩上 | φ 250 × 35/55 | 6.7      | 5,080 | GRC製 傷き高45 ※受注生産品 |
| 25B 3% | 〃    | φ 250 × 34/46 | 6        | 4,600 | 〃 〃 40 〃          |
| 25B 2% | 〃    | φ 250 × 36/44 | 6        | 4,600 | 〃 〃 40 〃          |
| 32B 5% | 〃    | φ 320 × 38/62 | 9.9      | 7,010 | 〃 〃 50 〃          |
| 32B 3% | 〃    | φ 320 × 38/52 | 8.9      | 6,290 | 〃 〃 45 〃          |



## 中間嵩上ブロック

| 品 名      | 用 途  | 寸 法 (mm)   | 参考重量(kg) | 価 格   | 備 考 |
|----------|------|------------|----------|-------|-----|
| 25B 5PP  | 中間嵩上 | φ 250 × 50 | 1.4      | 7,340 |     |
| 25B 3PP  | 〃    | φ 250 × 30 | 0.9      | 5,100 |     |
| 25B 1PP  | 〃    | φ 250 × 10 | 0.5      | 5,040 |     |
| 25B 目地PP | 〃    | φ 250 × 5  | 0.25     | 4,930 |     |
| 32B 5PP  | 〃    | φ 320 × 50 | 2        | 9,280 |     |
| 32B 3PP  | 〃    | φ 320 × 30 | 1.3      | 6,290 |     |
| 32B 1PP  | 〃    | φ 320 × 10 | 0.7      | 5,530 |     |
| 32B 目地PP | 〃    | φ 320 × 5  | 0.36     | 5,450 |     |

## 最下段ブロック

| 品 名    | 用 途 | 寸 法 (mm)                  | 参考重量(kg) | 価 格    | 備 考 |
|--------|-----|---------------------------|----------|--------|-----|
| 25C 30 | 下 部 | φ $\frac{250}{320}$ × 300 | 43       | 6,560  |     |
| 25C 20 | 〃   | φ $\frac{250}{320}$ × 200 | 33       | 5,460  |     |
| 32C 30 | 〃   | φ $\frac{320}{450}$ × 300 | 64       | 10,130 |     |
| 32C 20 | 〃   | φ $\frac{320}{450}$ × 200 | 51       | 9,050  |     |
| 32-60C | 〃   | φ $\frac{320}{600}$ × 300 | 85       | 14,860 |     |
| 45C    | 〃   | φ $\frac{450}{600}$ × 300 | 98       | 16,440 |     |

## 止水栓・給水栓・分水ボックス

| 品 名                | 用 途   | 寸 法 (mm)       |     | 価 格    | 備 考 |
|--------------------|-------|----------------|-----|--------|-----|
| 12止水栓PP            | 地 表 部 | (鉄蓋・中蓋・嵩上枠・受台) | 1.3 | 6,820  |     |
| 給水栓しまステン蓋付枠 横穴 φ13 | 〃     | φ 516 × 300    | 49  | 68,080 |     |
| 35分水RC蓋付枠50        | 〃     | φ 400 × 500    | 70  | 11,690 |     |

## 鉄蓋開閉金具

| 品 名        | 用 途  | 寸 法 (mm)     | 参考重量(kg) | 価 格    | 備 考               |
|------------|------|--------------|----------|--------|-------------------|
| 蓋開閉器 L 450 | 開閉バー | φ 19 × 450L  | 1.1      | 6,420  | 仕切弁専用             |
| 〃 L 700    | 〃    | φ 19 × 700L  | 1.7      | 12,980 | 仕切弁、D消火栓・空気弁兼用、汎用 |
| 〃 L 1200   | 〃    | φ 19 × 1200L | 4.1      | 20,210 | 仕切弁、D消火栓・空気弁、袋ケー用 |

## 開度表示具・明示釘

| 品 名   | 用 途 | 寸 法 (mm)               | 参考重量(kg) | 価 格 | 備 考           |
|-------|-----|------------------------|----------|-----|---------------|
| 開度表示具 | 標 示 | 90 × 120               | 0.02     | 980 |               |
| 明 示 釘 | 標 示 | φ $\frac{25}{10}$ × 81 | 0.1      | 300 | 丸水・工水・ガス・H・農水 |

## スラブ

| 品 名       | 用 途 | 寸 法 (mm)          | 参考重量(kg) | 価 格    | 備 考        |
|-----------|-----|-------------------|----------|--------|------------|
| スラブ 25×40 | 底 板 | 400 × 250 × 50    | 9        | 1,650  |            |
| 〃 28×50   | 〃   | 500 × 280 × 50    | 12.5     | 2,050  |            |
| 〃 50      | 〃   | 500 × 500 × 65    | 28       | 4,300  | 2枚1組, 設置寸法 |
| 〃 角 51    | 〃   | 510 × 510 × 60    | 27.5     | 4,670  |            |
| 〃 角 60    | 〃   | 600 × 600 × 65    | 37       | 6,230  |            |
| 〃 60      | 〃   | 600 × 600 × 70    | 41       | 5,770  | 2枚1組, 設置寸法 |
| 〃 80      | 〃   | 800 × 700 × 75    | 72       | 9,090  | 〃          |
| 〃 90      | 〃   | 900 × 700 × 80    | 86       | 10,280 | 〃          |
| 〃 100     | 〃   | 1000 × 900 × 85   | 132      | 14,900 | 〃          |
| 〃 120     | 〃   | 1200 × 1000 × 100 | 210      | 23,280 | 〃          |
| 〃 140     | 〃   | 1400 × 1400 × 125 | 400      | 44,480 | 〃          |

※仕切弁用の中間B・Cブロックをスラブの上に使用致しますと破損の原因になりますので十分ご注意ください。  
 ※中間25B・中間25C凹ブロックを最下段に設置する場合は、スラブ角51・角60上にご使用下さい。

## 消 火 栓 ・ 空 気 弁 室

### 単口用蓋付枠

| 品 名            | 用 途   | 寸 法 (mm)        | 参考重量(kg) | 価 格     | 備 考                   |
|----------------|-------|-----------------|----------|---------|-----------------------|
| D35×45蓋付駐禁枠消火栓 | 地 表 部 | 350 × 450 × 200 | 93       | 117,000 | 蓋の両手は納入価格に1,050円を別途加算 |
| 〃 駐禁蓋付枠 〃      | 〃     | 350 × 450 × 200 | 93       | 117,000 | 〃                     |
| 〃 蓋 付 枠 空気弁    | 〃     | 350 × 450 × 200 | 93       | 111,500 | 〃                     |
| D35×55蓋付駐禁枠消火栓 | 〃     | 350 × 550 × 200 | 109      | 140,600 |                       |
| 〃 駐禁蓋付枠 〃      | 〃     | 350 × 550 × 200 | 109      | 140,600 |                       |
| 〃 蓋 付 枠 空気弁    | 〃     | 350 × 550 × 200 | 109      | 133,000 |                       |
| 29×39蓋付枠消火栓    | 〃     | 290 × 390 × 200 | 100      | 66,820  |                       |
| 〃 〃 空気弁        | 〃     | 290 × 390 × 200 | 100      | 63,330  |                       |

### 単口用中間ブロック

| 品 名        | 用 途 | 寸 法 (mm)                                            | 参考重量(kg) | 価 格    | 備 考        |
|------------|-----|-----------------------------------------------------|----------|--------|------------|
| 単 口 B 30   | 中 間 | 360 × 460 × 300                                     | 74       | 10,470 |            |
| 〃 B 20     | 〃   | 360 × 460 × 200                                     | 53       | 7,330  |            |
| 〃 B 20半巾   | 〃   | 360 × 460 × 200                                     | 48       | 7,210  | 2個1組, 組立寸法 |
| 〃 B 15     | 〃   | 360 × 460 × 150                                     | 43       | 6,310  |            |
| 〃 B 12.5   | 〃   | 360 × 460 × 125                                     | 37       | 5,590  |            |
| 〃 B 10     | 〃   | 360 × 460 × 100                                     | 29.5     | 4,720  |            |
| 35×55 B 20 | 〃   | 350 × 550 × 200                                     | 61       | 8,540  |            |
| 〃 B 15     | 〃   | 350 × 550 × 150                                     | 50       | 6,980  |            |
| 〃 B 12.5   | 〃   | 350 × 550 × 125                                     | 45       | 6,310  |            |
| 〃 B 10     | 〃   | 350 × 550 × 100                                     | 35       | 5,340  |            |
| 〃 斜        | 〃   | $\frac{350}{480} \times \frac{550}{680} \times 200$ | 88       | 12,040 |            |

### 単口用中間嵩上ブロック

| 品 名          | 用 途  | 寸 法 (mm)       | 参考重量(kg) | 価 格    | 備 考    |
|--------------|------|----------------|----------|--------|--------|
| 単 口 B 5PP    | 中間嵩上 | 360 × 460 × 50 | 3        | 12,020 |        |
| 〃 B 3PP      | 〃    | 360 × 460 × 30 | 1.8      | 8,200  |        |
| 〃 B 1PP      | 〃    | 360 × 460 × 10 | 0.9      | 7,940  |        |
| 35×55 B 5GRC | 〃    | 350 × 550 × 50 | 16       | 11,600 | ※受注生産品 |
| 〃 B 3GRC     | 〃    | 350 × 550 × 30 | 9.3      | 8,290  | 〃      |
| 〃 B 1PP      | 〃    | 350 × 550 × 10 | 1        | 11,850 |        |

### 単口用勾配付中間嵩上ブロック

| 品 名          | 用 途  | 寸 法 (mm)      | 参考重量(kg) | 価 格    | 備 考         |
|--------------|------|---------------|----------|--------|-------------|
| 単 口 B 5%50   | 中間嵩上 | 360×460×35/60 | 12.5     | 8,890  | GRC製 ※受注生産品 |
| 〃 B 5%60     | 〃    | 360×460×30/60 | 12       | 8,890  | 〃           |
| 〃 B 3%50     | 〃    | 360×460×35/50 | 11.5     | 8,410  | 〃           |
| 〃 B 3%60     | 〃    | 360×460×32/50 | 11       | 8,410  | 〃           |
| 35×55 B 5%50 | 〃    | 350×550×35/60 | 15       | 10,380 | 〃           |
| 〃 B 5%70     | 〃    | 350×550×30/65 | 15       | 10,380 | 〃           |
| 〃 B 3%50     | 〃    | 350×550×35/50 | 13.5     | 9,160  | 〃           |
| 〃 B 3%70     | 〃    | 350×550×29/50 | 12       | 9,160  | 〃           |
| 〃 B 2%50     | 〃    | 350×550×40/50 | 13       | 9,160  | 〃           |

### 単口用最下段ブロック

| 品 名     | 用 途 | 寸 法 (mm)        | 参考重量(kg) | 価 格    | 備 考 |
|---------|-----|-----------------|----------|--------|-----|
| 単 口 C   | 下 部 | 360 × 460 × 200 | 71       | 9,680  |     |
| 35×55 C | 〃   | 350 × 550 × 200 | 81       | 10,660 |     |



## 双口用蓋付枠

| 品 名         | 用 途   | 寸 法 (mm)    | 参考重量(kg) | 価 格     | 備 考 |
|-------------|-------|-------------|----------|---------|-----|
| 47×67蓋付枠消火栓 | 地 表 部 | 470×670×200 | 216      | 171,600 |     |
| 〃 〃 空気弁     | 〃     | 470×670×200 | 193      | 156,900 |     |

## 双口用ブロック

| 品 名      | 用 途  | 寸 法 (mm)                                             | 参考重量(kg) | 価 格    | 備 考        |
|----------|------|------------------------------------------------------|----------|--------|------------|
| 双 口 B 20 | 中 間  | 480×680×200                                          | 90       | 12,050 |            |
| 〃 B 20半巾 | 〃    | 480×680×200                                          | 80       | 11,810 | 2個1組, 組立寸法 |
| 〃 B 15   | 〃    | 480×680×150                                          | 74       | 10,130 |            |
| 〃 B 12.5 | 〃    | 480×680×125                                          | 64       | 8,890  |            |
| 〃 B 10   | 〃    | 480×680×100                                          | 52       | 7,630  |            |
| 〃 B 5GRC | 中間嵩上 | 480×680×50                                           | 24       | 15,890 | ※受注生産品     |
| 〃 C      | 下 部  | 480×680×200                                          | 127      | 16,160 |            |
| 60×90 A  | 中 間  | $\frac{460}{500} \times \frac{660}{700} \times 140$  | 167      | 22,170 |            |
| 〃 B      | 〃    | 600×900×240                                          | 152      | 20,910 |            |
| 〃 C      | 下 部  | $\frac{600}{380} \times 900 \times 240$              | 188      | 24,750 |            |
| 〃 斜      | 〃    | $\frac{600}{700} \times \frac{900}{1000} \times 240$ | 196      | 26,290 |            |

## 大型流量計

| 品 名        | 用 途   | 寸 法 (mm)     | 参考重量(kg) | 価 格     | 備 考        |
|------------|-------|--------------|----------|---------|------------|
| 70×100 蓋付枠 | 地 表 部 | 700×1000×200 | 375      | 532,720 |            |
| 〃 B 35     | 中 間   | 700×1000×340 | 237      | 31,120  |            |
| 〃 B 20     | 〃     | 700×1000×190 | 151      | 20,980  |            |
| 〃 半巾       | 下 部   | 700×1000×290 | 176      | 25,810  | 2個1組, 組立寸法 |

## マンホール用蓋付枠

| 品 名            | 用 途   | 寸 法 (mm)  | 参考重量(kg) | 価 格     | 備 考                 |
|----------------|-------|-----------|----------|---------|---------------------|
| 草竹式JIS型鑄鉄フタ付枠平 | 地 表 部 | φ 654×200 | 231      | 128,600 |                     |
| 〃 凹            | 〃     | φ 654×200 | 229      | 128,600 | 斜壁6×9×5またはリングの上部に使用 |

## マンホール用中間嵩上ブロック

| 品 名             | 用 途  | 寸 法 (mm)  | 参考重量(kg) | 価 格    | 備 考           |
|-----------------|------|-----------|----------|--------|---------------|
| リング85 φ 60H 5   | 中間嵩上 | φ 600×50  | 36       | 9,560  | 斜壁6×9×5の上部に使用 |
| リング85 φ 60H 7.5 | 〃    | φ 600×75  | 48       | 9,310  | 〃             |
| リング85 φ 60H10   | 〃    | φ 600×100 | 64       | 11,540 | 〃             |

## マンホール側塊

| 品 名      | 用 途   | 寸 法 (mm)                         | 参考重量(kg) | 価 格     | 備 考                 |
|----------|-------|----------------------------------|----------|---------|---------------------|
| 斜壁 600 A | 中間・下部 | φ $\frac{600}{900} \times 300$   | 311      | 34,650  |                     |
| 〃 600 B  | 〃     | φ $\frac{600}{900} \times 450$   | 362      | 38,250  |                     |
| 〃 600 C  | 〃     | φ $\frac{600}{900} \times 600$   | 415      | 43,790  |                     |
| 〃 600 D  | 〃     | φ $\frac{600}{1200} \times 600$  | 528      | 55,080  |                     |
| 〃 900    | 〃     | φ $\frac{900}{1200} \times 600$  | 469      | 64,810  | ※受注生産品              |
| 〃 1200   | 〃     | φ $\frac{1200}{1500} \times 600$ | 638      | 104,000 | 〃                   |
| 〃 6×9×5  | 〃     | φ $\frac{600}{900} \times 500$   | 267      | 40,420  | リングの下部に使用<br>※受注生産品 |
| 直壁 900 A | 〃     | φ 900×300                        | 239      | 26,490  |                     |
| 〃 900 B  | 〃     | φ 900×600                        | 366      | 40,420  |                     |
| 〃 1200 A | 〃     | φ 1200×300                       | 319      | 35,850  | ※受注生産品              |
| 〃 1200 B | 〃     | φ 1200×600                       | 516      | 57,490  | 〃                   |
| 〃 1500 A | 〃     | φ 1500×300                       | 405      | 59,140  | 〃                   |
| 〃 1500 B | 〃     | φ 1500×600                       | 685      | 99,570  | 〃                   |
| 片斜 600 C | 〃     | φ $\frac{600}{900} \times 600$   | 430      | 49,310  | 〃                   |
| 〃 600 D  | 〃     | φ $\frac{600}{1200} \times 600$  | 560      | 66,360  | 〃                   |

# 円形1号

## 蓋付枠

| 品名          | 用途  | 寸法(mm)      | 価格     | 備考       |
|-------------|-----|-------------|--------|----------|
| 円形1号蓋付枠     | 地表部 | φ 216 × 150 | 32,510 |          |
| 〃 R         | 〃   | φ 216 × 150 | 39,900 | カラー表示    |
| 円形1号蓋付枠口径表示 | 〃   | φ 216 × 150 | 32,510 | 口径表示     |
| 〃 R         | 〃   | φ 216 × 150 | 39,900 | カラー・口径表示 |

## 調整リング

| 品名             | 用途 | 寸法(mm)        | 価格     | 備考                  |
|----------------|----|---------------|--------|---------------------|
| RB25 K10 (REC) | 嵩上 | φ 250 × 100   | 12,420 | ボルト緊結対応型            |
| RB25 K5 (REC)  | 〃  | φ 250 × 50    | 7,360  | 〃                   |
| RB25 K5        | 〃  | φ 250 × 50    | 6,230  | ボルト緊結対応型, 再生プラスチック製 |
| RB25 K3        | 〃  | φ 250 × 30    | 5,360  | 〃                   |
| RB25 K1        | 〃  | φ 250 × 10    | 3,480  | 〃                   |
| RB25 K5%       | 〃  | φ 250 × 10/28 | 4,020  | 〃                   |
| RB25 K3%       | 〃  | φ 250 × 10/21 | 3,840  | 〃                   |
| RB25 K止有5      | 〃  | φ 250 × 50    | 8,870  | 止付, 再生プラスチック製       |
| RB25 K止有3      | 〃  | φ 250 × 30    | 7,790  | 〃                   |
| RB25 K止有1      | 〃  | φ 250 × 10    | 5,330  | 〃                   |
| RB25 K止有5%     | 〃  | φ 250 × 10/28 | 6,420  | 〃                   |
| RB25 K止有3%     | 〃  | φ 250 × 10/21 | 6,230  | 〃                   |

## ボックス

| 品名         | 用途  | 寸法(mm)                    | 価格     | 備考               |
|------------|-----|---------------------------|--------|------------------|
| RB25 A15   | 上部  | φ 250 × 150               | 12,730 | ボルト緊結型 M10用・M12用 |
| RB25 AC30  | 上下部 | φ $\frac{250}{350}$ × 300 | 22,530 | ボルト緊結型 M10用・M12用 |
| RB25 AC15  | 〃   | φ $\frac{250}{350}$ × 150 | 16,090 | ボルト緊結型 M12用      |
| RB25 B30   | 中間  | φ 250 × 300               | 13,040 |                  |
| RB25 B20   | 〃   | φ 250 × 200               | 10,690 |                  |
| RB25 B15   | 〃   | φ 250 × 150               | 9,020  |                  |
| RB25 B10   | 〃   | φ 250 × 100               | 6,890  |                  |
| RB25 C20凹  | 〃   | φ $\frac{250}{350}$ × 200 | 14,240 |                  |
| RB25 C30   | 下部  | φ $\frac{250}{350}$ × 300 | 15,290 |                  |
| RB25 C20   | 〃   | φ $\frac{250}{350}$ × 200 | 14,240 |                  |
| RB25 P4    | 底板  | φ 350 × 40                | 17,010 | C・ACボックス用        |
| RB25 P4 AB | 〃   | φ 250 × 40                | 9,370  | A・Bボックス用         |
| RB25 P6 AB | 〃   | φ 250 × 60                | 12,420 | 〃                |

## 表示プレート

| 品名       | 寸法(mm) | 価格  | 備考       |
|----------|--------|-----|----------|
| 矢印表示プレート | —      | 680 | 円形1号・2号用 |
| 口径表示プレート | —      | 680 | 〃        |



## 円 形 2 号

### 蓋 付 枠

| 品 名           | 用 途   | 寸 法 (mm)    | 価 格    | 備 考      |
|---------------|-------|-------------|--------|----------|
| 円形2号蓋付枠       | 地 表 部 | φ 320 × 150 | 59,070 |          |
| 〃 R           | 〃     | φ 320 × 150 | 67,710 | カラー表示    |
| 円形 2 号蓋付枠口径表示 | 〃     | φ 320 × 150 | 59,070 | 口径表示     |
| 〃 R           | 〃     | φ 320 × 150 | 67,710 | カラー・口径表示 |

### 調整リング

| 品 名           | 用 途 | 寸 法 (mm)      | 価 格    | 備 考                 |
|---------------|-----|---------------|--------|---------------------|
| RB35 K5 (REC) | 嵩 上 | φ 350 × 50    | 19,220 | ボルト緊結対応型            |
| RB35 K5       | 〃   | φ 350 × 50    | 12,990 | ボルト緊結対応型, 再生プラスチック製 |
| RB35 K3       | 〃   | φ 350 × 30    | 9,940  | 〃                   |
| RB35 K1       | 〃   | φ 350 × 10    | 4,500  | 〃                   |
| RB35 K5%      | 〃   | φ 350 × 15/39 | 6,390  | 〃                   |
| RB35 K3%      | 〃   | φ 350 × 15/29 | 7,110  | 〃                   |
| RB35 K止有5     | 〃   | φ 350 × 50    | 15,950 | 止付, 再生プラスチック製       |
| RB35 K止有3     | 〃   | φ 350 × 30    | 12,770 | 〃                   |
| RB35 K止有1     | 〃   | φ 350 × 10    | 8,450  | 〃                   |
| RB35 K止有5%    | 〃   | φ 350 × 15/39 | 10,860 | 〃                   |
| RB35 K止有3%    | 〃   | φ 350 × 15/29 | 10,040 | 〃                   |

### ボックス

| 品 名          | 用 途   | 寸 法 (mm)    | 価 格    | 備 考         |
|--------------|-------|-------------|--------|-------------|
| RB35 A15     | 上 部   | φ 350 × 150 | 23,530 | ボルト緊結型 M12用 |
| RB35 AC30    | 上 下 部 | φ 350 × 300 | 44,590 | ボルト緊結型 M12用 |
| RB35 B30     | 中 間   | φ 350 × 300 | 24,530 |             |
| RB35 B20     | 〃     | φ 350 × 200 | 13,840 |             |
| RB35 B10     | 〃     | φ 350 × 100 | 9,810  |             |
| RB35 C30     | 下 部   | φ 350 × 300 | 29,220 |             |
| RB35 P4      | 底 板   | φ 450 × 40  | 22,840 | C・ACボックス用   |
| RB35 P4.5 AB | 〃     | φ 350 × 45  | 17,620 | A・Bボックス用    |

## コンクリート 製

| 品 名                 | 用 途   | 寸 法 (mm)       | 価 格    | 備 考                      |
|---------------------|-------|----------------|--------|--------------------------|
| D24蓋付枠 H15 BT凹      | 地 表 部 | φ 240 × 150    | 33,550 | RB25A・AC用                |
| 〃 ( )R              | 〃     | φ 240 × 150    | 37,960 | 〃 ( )内には「青」「黄」「赤」等のカラー表示 |
| D24蓋付S枠 H15 BT凹     | 〃     | φ 240 × 150    | 41,020 | 〃 寒冷地仕様                  |
| D32蓋付枠 H15 BT凹      | 〃     | φ 320 × 150    | 51,500 | RB35A・AC用                |
| 〃 ( )R              | 〃     | φ 320 × 150    | 57,130 | 〃 ( )内には「青」「黄」「赤」等のカラー表示 |
| スラブ60凹(RB25C・25AC用) | 底 板   | 600 × 600 × 70 | 6,560  | 2枚1組, 設置寸法               |

# 円形3号

## 蓋付 枠

| 品 名     | 用 途   | 寸 法 (mm)    | 価 格     | 備 考           |
|---------|-------|-------------|---------|---------------|
| 円形3号蓋付枠 | 地 表 部 | φ 500 × 100 | 103,000 |               |
| 〃 R     | 〃     | φ 500 × 100 | 120,900 | カラー表示         |
| 〃 消防R   | 〃     | φ 500 × 100 | 126,800 | 消防車デザイン・カラー表示 |

## 調整リング

| 品 名           | 用 途 | 寸 法 (mm)      | 価 格    | 備 考                 |
|---------------|-----|---------------|--------|---------------------|
| RB50 K5 (REC) | 嵩 上 | φ 500 × 50    | 19,390 | ボルト緊結対応型            |
| RB50 K5       | 〃   | φ 500 × 50    | 22,970 | ボルト緊結対応型, 再生プラスチック製 |
| RB50 K3       | 〃   | φ 500 × 30    | 20,890 | 〃                   |
| RB50 K1       | 〃   | φ 500 × 10    | 12,190 | 〃                   |
| RB50 K5%      | 〃   | φ 500 × 10/43 | 17,130 | 〃                   |
| RB50 K3%      | 〃   | φ 500 × 10/30 | 13,760 | 〃                   |
| RB50 K止有5     | 〃   | φ 500 × 50    | 33,630 | 止付, 再生プラスチック製       |
| RB50 K止有3     | 〃   | φ 500 × 30    | 30,580 | 〃                   |
| RB50 K止有1     | 〃   | φ 500 × 10    | 20,130 | 〃                   |
| RB50 K止有5%    | 〃   | φ 500 × 10/43 | 28,250 | 〃                   |
| RB50 K止有3%    | 〃   | φ 500 × 10/30 | 22,710 | 〃                   |

## ボックス

| 品 名         | 用 途   | 寸 法 (mm)       | 価 格    | 備 考                   |
|-------------|-------|----------------|--------|-----------------------|
| RB50 A20    | 上 部   | φ 500 × 200    | 38,420 | ボルト緊結型 M16用           |
| RB50 AC20   | 上 下 部 | φ 500 × 200    | 40,020 | ボルト緊結型 M16用           |
| RB50 B30    | 中 間   | φ 500 × 300    | 26,440 |                       |
| RB50 B20    | 〃     | φ 500 × 200    | 18,430 |                       |
| RB50 B10    | 〃     | φ 500 × 100    | 16,230 |                       |
| RB50 C50    | 下 部   | φ 500 × 500    | 44,180 |                       |
| RB50 C30    | 〃     | φ 500 × 300    | 26,030 |                       |
| RB50 C20    | 〃     | φ 500 × 200    | 19,600 |                       |
| RB50 C10    | 〃     | φ 500 × 100    | 18,330 |                       |
| RB50 C20凹   | 〃     | φ 500 × 200    | 21,150 |                       |
| RB50 P4     | 底 板   | φ 400 × 40     | 25,940 | C・ACボックス用             |
| RB50 P4 1/2 | 〃     | 700 × 810 × 40 | 29,960 | RB50C20凹用, 2枚1組, 設置寸法 |

## 変換アダプター

| 品 名       | 寸 法 (mm)                          | 価 格    | 備 考               |
|-----------|-----------------------------------|--------|-------------------|
| RB50A10AD | 500 $\phi$ 500 $\times$ 330 × 50  | 40,380 | 円形3号蓋付枠と単口B・Cの接続用 |
| RB50B10AD | 440 $\phi$ 500 $\times$ 330 × 100 | 31,890 | RB50A・Bと単口B・Cの接続用 |

## 円 形 4 号

### 蓋 付 枠

| 品 名     | 用 途   | 寸 法 (mm)    | 価 格     | 備 考           |
|---------|-------|-------------|---------|---------------|
| 円形4号蓋付枠 | 地 表 部 | φ 600 × 100 | 138,900 |               |
| 〃 R     | 〃     | φ 600 × 100 | 163,500 | カラー表示         |
| 〃 消防R   | 〃     | φ 600 × 100 | 199,200 | 消防車デザイン・カラー表示 |

### 調整リング

| 品 名           | 用 途 | 寸 法 (mm)      | 価 格    | 備 考                 |
|---------------|-----|---------------|--------|---------------------|
| RB60 K5 (REC) | 嵩 上 | φ 600 × 50    | 27,770 | ボルト緊結対応型            |
| RB60 K5       | 〃   | φ 600 × 50    | 30,020 | ボルト緊結対応型, 再生プラスチック製 |
| RB60 K3       | 〃   | φ 600 × 30    | 26,250 | 〃                   |
| RB60 K1       | 〃   | φ 600 × 10    | 15,170 | 〃                   |
| RB60 K5%      | 〃   | φ 600 × 10/48 | 21,290 | 〃                   |
| RB60 K3%      | 〃   | φ 600 × 10/33 | 18,150 | 〃                   |

### ボックス

| 品 名       | 用 途   | 寸 法 (mm)    | 価 格    | 備 考         |
|-----------|-------|-------------|--------|-------------|
| RB60 A20  | 上 部   | φ 600 × 200 | 49,600 | ボルト緊結型 M16用 |
| RB60 AC20 | 上 下 部 | φ 600 × 200 | 49,200 | ボルト緊結型 M16用 |
| RB60 B30  | 中 間   | φ 600 × 300 | 38,580 |             |
| RB60 B20  | 〃     | φ 600 × 200 | 28,650 |             |
| RB60 B10  | 〃     | φ 600 × 100 | 17,630 |             |
| RB60 C50  | 下 部   | φ 600 × 500 | 59,870 |             |
| RB60 C30  | 〃     | φ 600 × 300 | 37,510 |             |
| RB60 C20  | 〃     | φ 600 × 200 | 28,650 |             |
| RB60 C10  | 〃     | φ 600 × 100 | 17,710 |             |
| RB60 P4   | 底 板   | φ 500 × 40  | 30,470 | C・ACボックス用   |

## 施 工 備 品

| 品 名             | 寸 法 (mm) | 価 格    | 備 考                   |
|-----------------|----------|--------|-----------------------|
| 無収縮モルタル 25kg    | —        | 13,460 |                       |
| 無収縮モルタル 12.5kg  | —        | 9,300  |                       |
| 調整駒 M12 3セット    | —        | 9,110  |                       |
| 調整駒 M16 3セット    | —        | 9,110  |                       |
| 型枠備品 φ600用      | —        | 59,210 | 内枠・外枠, ベルト, ホッパー, バケツ |
| 蓋開閉器 (円形・角形鉄蓋用) | —        | 40,550 |                       |



# 角 形 1 号

## 蓋 付 枠

| 品 名     | 用 途   | 寸 法 (mm)        | 価 格     | 備 考   |
|---------|-------|-----------------|---------|-------|
| 角形1号蓋付枠 | 地 表 部 | 528 × 428 × 100 | 148,800 |       |
| 〃 R     | 〃     | 528 × 428 × 100 | 155,100 | カラー表示 |

## 調整リング

| 品 名          | 用 途 | 寸 法 (mm)          | 価 格    | 備 考       |
|--------------|-----|-------------------|--------|-----------|
| RB5040 K5    | 嵩 上 | 500 × 400 × 50    | 22,080 | 再生プラスチック製 |
| RB5040 K3    | 〃   | 500 × 400 × 30    | 14,150 | 〃         |
| RB5040 K1    | 〃   | 500 × 400 × 10    | 8,810  | 〃         |
| RB5040 K5%40 | 〃   | 500 × 400 × 30/56 | 13,720 | 〃         |
| RB5040 K5%50 | 〃   | 500 × 400 × 30/61 | 15,380 | 〃         |
| RB5040 K3%40 | 〃   | 500 × 400 × 30/46 | 12,180 | 〃         |
| RB5040 K3%50 | 〃   | 500 × 400 × 30/49 | 12,630 | 〃         |

## ボックス

| 品 名         | 用 途   | 寸 法 (mm)        | 価 格    | 備 考                   |
|-------------|-------|-----------------|--------|-----------------------|
| RB5040 A20  | 上 部   | 500 × 400 × 200 | 41,160 | ボルト緊結型 M16用           |
| RB5040 AC20 | 上 下 部 | 500 × 400 × 200 | 40,200 | ボルト緊結型 M16用           |
| RB5040 B20  | 中 間   | 500 × 400 × 200 | 25,730 |                       |
| RB5040 B10  | 〃     | 500 × 400 × 100 | 15,770 |                       |
| RB5040 C40  | 下 部   | 500 × 400 × 400 | 44,550 |                       |
| RB5040 C20  | 〃     | 500 × 400 × 200 | 24,610 |                       |
| RB5040 C10  | 〃     | 500 × 400 × 100 | 19,310 |                       |
| RB5040 P4   | 底 板   | 680 × 530 × 40  | 35,050 | C・ACボックス用, 2枚1組, 設置寸法 |

# 角 形 44 × 33 型

## 蓋 付 枠

| 品 名        | 用 途   | 寸 法 (mm)        | 価 格     | 備 考   |
|------------|-------|-----------------|---------|-------|
| 角形44×33蓋付枠 | 地 表 部 | 434 × 324 × 100 | 127,800 |       |
| 〃 R        | 〃     | 434 × 324 × 100 | 136,600 | カラー表示 |

## 調整リング

| 品 名          | 用 途 | 寸 法 (mm)          | 価 格    | 備 考       |
|--------------|-----|-------------------|--------|-----------|
| RB4433 K5    | 嵩 上 | 440 × 330 × 50    | 18,460 | 再生プラスチック製 |
| RB4433 K3    | 〃   | 440 × 330 × 30    | 11,700 | 〃         |
| RB4433 K1    | 〃   | 440 × 330 × 10    | 10,100 | 〃         |
| RB4433 K5%33 | 〃   | 440 × 330 × 30/53 | 17,960 | 〃         |
| RB4433 K5%44 | 〃   | 440 × 330 × 30/58 | 17,980 | 〃         |
| RB4433 K3%33 | 〃   | 440 × 330 × 30/44 | 12,930 | 〃         |
| RB4433 K3%44 | 〃   | 440 × 330 × 30/47 | 14,160 | 〃         |

## ボックス

| 品 名         | 用 途   | 寸 法 (mm)        | 価 格    | 備 考                   |
|-------------|-------|-----------------|--------|-----------------------|
| RB4433 A20  | 上 部   | 440 × 330 × 200 | 32,340 |                       |
| RB4433 AC20 | 上 下 部 | 440 × 330 × 200 | 31,700 |                       |
| RB4433 B20  | 中 間   | 440 × 330 × 200 | 23,100 |                       |
| RB4433 B10  | 〃     | 440 × 330 × 100 | 14,170 |                       |
| RB4433 C40  | 下 部   | 440 × 330 × 400 | 40,430 |                       |
| RB4433 C20  | 〃     | 440 × 330 × 200 | 23,100 |                       |
| RB4433 C10  | 〃     | 440 × 330 × 100 | 14,740 |                       |
| RB4433 P4   | 底 板   | 600 × 500 × 40  | 26,120 | C・ACボックス用, 2枚1組, 設置寸法 |

## 角 形 2 号

### 蓋 付 枠

| 品 名     | 用 途   | 寸 法 (mm)        | 価 格     | 備 考   |
|---------|-------|-----------------|---------|-------|
| 角形2号蓋付枠 | 地 表 部 | 594 × 494 × 100 | 203,200 |       |
| 〃 R     | 〃     | 594 × 494 × 100 | 217,800 | カラー表示 |

### 調整リング

| 品 名          | 用 途 | 寸 法 (mm)          | 価 格    | 備 考       |
|--------------|-----|-------------------|--------|-----------|
| RB6050 K5    | 嵩 上 | 600 × 500 × 50    | 26,820 | 再生プラスチック製 |
| RB6050 K3    | 〃   | 600 × 500 × 30    | 17,140 | 〃         |
| RB6050 K1    | 〃   | 600 × 500 × 10    | 14,150 | 〃         |
| RB6050 K5%50 | 〃   | 600 × 500 × 10/41 | 23,810 | 〃         |
| RB6050 K5%60 | 〃   | 600 × 500 × 10/46 | 25,070 | 〃         |
| RB6050 K3%50 | 〃   | 600 × 500 × 10/29 | 18,620 | 〃         |
| RB6050 K3%60 | 〃   | 600 × 500 × 10/32 | 20,110 | 〃         |

### ボックス

| 品 名        | 用 途 | 寸 法 (mm)        | 価 格    | 備 考                   |
|------------|-----|-----------------|--------|-----------------------|
| RB6050 A20 | 上 部 | 600 × 500 × 200 | 55,250 |                       |
| RB6050 B20 | 中 間 | 600 × 500 × 200 | 33,020 |                       |
| RB6050 B10 | 〃   | 600 × 500 × 100 | 24,600 |                       |
| RB6050 C40 | 下 部 | 600 × 500 × 400 | 62,290 |                       |
| RB6050 C20 | 〃   | 600 × 500 × 200 | 31,000 |                       |
| RB6050 P4  | 底 板 | 750 × 640 × 40  | 39,890 | C・ACボックス用, 2枚1組, 設置寸法 |

## 角 形 55 × 35 型

### 蓋 付 枠

| 品 名        | 用 途   | 寸 法 (mm)        | 価 格     | 備 考   |
|------------|-------|-----------------|---------|-------|
| 角形55×35蓋付枠 | 地 表 部 | 544 × 344 × 100 | 139,700 |       |
| 〃 R        | 〃     | 544 × 344 × 100 | 160,500 | カラー表示 |

### 調整リング

| 品 名          | 用 途 | 寸 法 (mm)          | 価 格    | 備 考       |
|--------------|-----|-------------------|--------|-----------|
| RB5535 K5    | 嵩 上 | 550 × 350 × 50    | 21,350 | 再生プラスチック製 |
| RB5535 K3    | 〃   | 550 × 350 × 30    | 14,490 | 〃         |
| RB5535 K1    | 〃   | 550 × 350 × 10    | 11,800 | 〃         |
| RB5535 K5%35 | 〃   | 550 × 350 × 30/54 | 16,320 | 〃         |
| RB5535 K5%55 | 〃   | 550 × 350 × 30/63 | 16,890 | 〃         |
| RB5535 K3%35 | 〃   | 550 × 350 × 30/44 | 15,550 | 〃         |
| RB5535 K3%55 | 〃   | 550 × 350 × 30/50 | 16,120 | 〃         |

### ボックス

| 品 名         | 用 途   | 寸 法 (mm)        | 価 格    | 備 考                   |
|-------------|-------|-----------------|--------|-----------------------|
| RB5535 A20  | 上 部   | 550 × 350 × 200 | 42,810 |                       |
| RB5535 AC20 | 上 下 部 | 550 × 350 × 200 | 40,510 |                       |
| RB5535 B20  | 中 間   | 550 × 350 × 200 | 26,530 |                       |
| RB5535 B10  | 〃     | 550 × 350 × 100 | 16,770 |                       |
| RB5535 C40  | 下 部   | 550 × 350 × 400 | 44,180 |                       |
| RB5535 C20  | 〃     | 550 × 350 × 200 | 27,570 |                       |
| RB5535 C10  | 〃     | 550 × 350 × 100 | 18,870 |                       |
| RB5535 P4   | 底 板   | 750 × 500 × 40  | 38,220 | C・ACボックス用, 2枚1組, 設置寸法 |



## 角 形 60 × 40 型

### 蓋 付 枠

| 品 名        | 用 途   | 寸 法 (mm)        | 価 格     | 備 考   |
|------------|-------|-----------------|---------|-------|
| 角形60×40蓋付枠 | 地 表 部 | 594 × 394 × 100 | 172,400 |       |
| 〃 R        | 〃     | 594 × 394 × 100 | 186,400 | カラー表示 |

### ボックス

| 品 名        | 用 途 | 寸 法 (mm)        | 価 格    | 備 考                |
|------------|-----|-----------------|--------|--------------------|
| RB6040 A20 | 上 部 | 600 × 400 × 200 | 50,610 |                    |
| RB6040 B20 | 中 間 | 600 × 400 × 200 | 31,460 |                    |
| RB6040 B10 | 〃   | 600 × 400 × 100 | 19,350 |                    |
| RB6040 C40 | 下 部 | 600 × 400 × 400 | 58,760 |                    |
| RB6040 C20 | 〃   | 600 × 400 × 200 | 30,070 |                    |
| RB6040 P3  | 底 板 | 750 × 540 × 30  | 41,700 | Cボックス用, 2枚1組, 設置寸法 |

## ボルト・ナット・ワッシャー

| 品 名                | 寸 法 (mm) | 価 格   | 備 考        |
|--------------------|----------|-------|------------|
| BNW-M10×L 75 3ヶセット | —        | 1,760 | 円形1号用      |
| BNW-M10×L110 3ヶセット | —        | 1,830 | 〃          |
| BNW-M10×L150 3ヶセット | —        | 2,010 | 〃          |
| BNW-M12×L 75 3ヶセット | —        | 1,830 | 円形1号・円形2号用 |
| BNW-M12×L110 3ヶセット | —        | 1,900 | 〃          |
| BNW-M12×L150 3ヶセット | —        | 2,070 | 〃          |
| BNW-M12×L250 3ヶセット | —        | 2,420 | 〃          |
| BNW-M16×L 75 3ヶセット | —        | 2,180 | 円形3号・円形4号用 |
| BNW-M16×L110 3ヶセット | —        | 2,250 | 〃          |
| BNW-M16×L150 3ヶセット | —        | 3,150 | 〃          |
| BNW-M16×L250 3ヶセット | —        | 3,960 | 〃          |
| BNW-M16×L 75 4ヶセット | —        | 3,570 | 角形1号用      |
| BNW-M16×L110 4ヶセット | —        | 3,800 | 〃          |
| BNW-M16×L150 4ヶセット | —        | 5,180 | 〃          |
| BNW-M16×L250 4ヶセット | —        | 6,100 | 〃          |



## 組立参考表

## 仕切弁室 φ40～φ65

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 460 | 560 | 660 | 760 | 860 | 960 | 1060 |

| 品 名        | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |        |        |        |
|------------|--------|-----|------|--------|--------|--------|--------|--------|--------|--------|
| D16蓋付枠40   | 22,970 | 400 | 37   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 25B40      | 6,580  | 400 | 47   |        |        |        |        | 1      |        | 1      |
| 25B30      | 5,490  | 300 | 37   |        |        |        | 1      |        | 1      |        |
| 25B20      | 4,640  | 200 | 27.5 |        |        | 1      |        |        | 1      | 1      |
| 25B10      | 3,450  | 100 | 17.5 |        | 1      |        |        |        |        |        |
| スラブ角51     | 4,670  | 60  | 27.5 | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 総 重 量 (kg) |        |     |      | 64.5   | 82     | 92     | 101.5  | 111.5  | 129    | 139    |
| 総 額 (円)    |        |     |      | 27,640 | 31,090 | 32,280 | 33,130 | 34,220 | 37,770 | 38,860 |

## 仕切弁室 φ75～φ125

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 470 | 570 | 670 | 770 | 870 | 970 | 1070 |

| 品 名        | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |        |        |        |
|------------|--------|-----|------|--------|--------|--------|--------|--------|--------|--------|
| D20蓋付枠     | 27,530 | 200 | 38   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 25B40      | 6,580  | 400 | 47   |        |        |        |        |        | 1      |        |
| 25B30      | 5,490  | 300 | 37   |        |        |        |        | 1      |        | 1      |
| 25B20      | 4,640  | 200 | 27.5 |        |        |        | 1      |        |        | 1      |
| 25B10      | 3,450  | 100 | 17.5 |        |        | 1      |        |        |        |        |
| 25C30      | 6,560  | 300 | 43   |        | 1      | 1      | 1      | 1      | 1      | 1      |
| 25C20      | 5,460  | 200 | 33   | 1      |        |        |        |        |        |        |
| スラブ60      | 5,770  | 70  | 41   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 総 重 量 (kg) |        |     |      | 112    | 122    | 139.5  | 149.5  | 159    | 169    | 186.5  |
| 総 額 (円)    |        |     |      | 38,760 | 39,860 | 43,310 | 44,500 | 45,350 | 46,440 | 49,990 |

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 470 | 570 | 670 | 770 | 870 | 970 | 1070 |

| 品 名        | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |        |        |        |
|------------|--------|-----|------|--------|--------|--------|--------|--------|--------|--------|
| D24蓋付枠     | 34,460 | 200 | 42   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 25B40      | 6,580  | 400 | 47   |        |        |        |        |        | 1      |        |
| 25B30      | 5,490  | 300 | 37   |        |        |        |        | 1      |        | 1      |
| 25B20      | 4,640  | 200 | 27.5 |        |        |        | 1      |        |        | 1      |
| 25B10      | 3,450  | 100 | 17.5 |        |        | 1      |        |        |        |        |
| 25C30      | 6,560  | 300 | 43   |        | 1      | 1      | 1      | 1      | 1      | 1      |
| 25C20      | 5,460  | 200 | 33   | 1      |        |        |        |        |        |        |
| スラブ60      | 5,770  | 70  | 41   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 総 重 量 (kg) |        |     |      | 116    | 126    | 143.5  | 153.5  | 163    | 173    | 190.5  |
| 総 額 (円)    |        |     |      | 45,690 | 46,790 | 50,240 | 51,430 | 52,280 | 53,370 | 56,920 |

## 仕切弁室 φ150～φ200

用色主 一 常 常 常 常 常 常 常 常

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 575 | 675 | 775 | 875 | 975 | 1075 | 1175 |

| 品 名        | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |        |        |        |
|------------|--------|-----|------|--------|--------|--------|--------|--------|--------|--------|
| D24蓋付枠     | 34,460 | 200 | 42   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 25B30      | 5,490  | 300 | 37   |        |        |        |        |        |        | 1      |
| 25B20      | 4,640  | 200 | 27.5 |        |        | 1      |        | 1      | 1      |        |
| 25C30凹     | 6,560  | 300 | 42   |        |        |        | 1      | 1      | 1      | 1      |
| 25C10凹     | 4,500  | 100 | 22   | 1      | 1      | 1      |        |        |        |        |
| 32C30      | 10,130 | 300 | 64   |        | 1      |        | 1      |        | 1      | 1      |
| 32C20      | 9,050  | 200 | 51   | 1      |        | 1      |        | 1      |        |        |
| スラブ80      | 9,090  | 75  | 72   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 総 重 量 (kg) |        |     |      | 187    | 200    | 214.5  | 220    | 234.5  | 247.5  | 257    |
| 総 額 (円)    |        |     |      | 57,100 | 58,180 | 61,740 | 60,240 | 63,800 | 64,880 | 65,730 |

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 475 | 575 | 675 | 775 | 875 | 975 | 1075 |

| 品 名        | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |        |        |        |
|------------|--------|-----|------|--------|--------|--------|--------|--------|--------|--------|
| D32蓋付枠     | 53,130 | 200 | 59   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 32B30      | 7,300  | 300 | 50   |        |        |        |        | 1      |        | 1      |
| 32B20      | 5,490  | 200 | 38   |        |        |        | 1      |        | 2      | 1      |
| 32B10      | 4,300  | 100 | 22.5 |        |        | 1      |        |        |        |        |
| 32C30      | 10,130 | 300 | 64   |        | 1      | 1      | 1      | 1      | 1      | 1      |
| 32C20      | 9,050  | 200 | 51   | 1      |        |        |        |        |        |        |
| スラブ80      | 9,090  | 75  | 72   | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| 総 重 量 (kg) |        |     |      | 182    | 195    | 217.5  | 233    | 245    | 271    | 283    |
| 総 額 (円)    |        |     |      | 71,270 | 72,350 | 76,650 | 77,840 | 79,650 | 83,330 | 85,140 |

## 仕切弁室 φ250～φ350

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 550 | 650 | 750 | 850 | 950  | 1050 |
| (mm) L=ボックス積み高さ     | 585 | 635 | 735 | 835 | 935 | 1035 | 1135 |

| 品 名        | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |        |        |         |
|------------|--------|-----|------|--------|--------|--------|--------|--------|--------|---------|
| D32蓋付枠     | 53,130 | 200 | 59   | 1      | 1      | 1      | 1      | 1      | 1      | 1       |
| 32B30      | 7,300  | 300 | 50   |        |        |        |        |        | 1      |         |
| 32B20      | 5,490  | 200 | 38   |        |        |        |        | 1      |        | 2       |
| 32B10      | 4,300  | 100 | 22.5 |        |        |        | 1      |        |        |         |
| 32B5PP     | 9,280  | 50  | 2    |        | 1      |        |        |        |        |         |
| 32C15凹     | 8,210  | 150 | 43   |        |        | 1      | 1      | 1      | 1      | 1       |
| 32-60C     | 14,860 | 300 | 85   | 1      | 1      |        |        |        |        |         |
| 45C        | 16,440 | 300 | 98   |        |        | 1      | 1      | 1      | 1      | 1       |
| スラブ100     | 14,900 | 85  | 132  | 1      | 1      | 1      | 1      | 1      | 1      | 1       |
| 総 重 量 (kg) |        |     |      | 276    | 278    | 332    | 354.5  | 370    | 382    | 408     |
| 総 額 (円)    |        |     |      | 82,890 | 92,170 | 92,680 | 96,980 | 98,170 | 99,980 | 103,660 |



# 単口用消火栓・空気弁－歩道用

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 475 | 575 | 675 | 775 | 875 | 975 | 1075 |

| 品 名         | 価 格    | 高 さ | 重 量  | 数 量    |        |        |        |         |
|-------------|--------|-----|------|--------|--------|--------|--------|---------|
| 29×39蓋付枠消火栓 | 66,820 | 200 | 100  | 1      | 1      | 1      | 1      | 1       |
| 単口B30       | 10,470 | 300 | 74   |        |        | 1      |        | 2       |
| 単口B20       | 7,330  | 200 | 53   |        | 1      |        | 2      | 1       |
| 単口B10       | 4,720  | 100 | 29.5 |        | 1      |        |        |         |
| 単口C         | 9,680  | 200 | 71   | 1      | 1      | 1      | 1      | 1       |
| スラブ80       | 9,090  | 75  | 72   | 1      | 1      | 1      | 1      | 1       |
| 総 重 量 (kg)  |        |     |      | 243    | 272.5  | 296    | 317    | 391     |
| 総 額 (円)     |        |     |      | 85,590 | 90,310 | 92,920 | 96,060 | 106,530 |

|             |        |     |      |        |        |        |        |         |
|-------------|--------|-----|------|--------|--------|--------|--------|---------|
| 29×39蓋付枠空気弁 | 63,330 | 200 | 100  | 1      | 1      | 1      | 1      | 1       |
| 単口B30       | 10,470 | 300 | 74   |        |        | 1      |        | 2       |
| 単口B20       | 7,330  | 200 | 53   |        |        | 1      | 2      | 1       |
| 単口B10       | 4,720  | 100 | 29.5 |        | 1      |        |        |         |
| 単口C         | 9,680  | 200 | 71   | 1      | 1      | 1      | 1      | 1       |
| スラブ80       | 9,090  | 75  | 72   | 1      | 1      | 1      | 1      | 1       |
| 総 重 量 (kg)  |        |     |      | 243    | 272.5  | 296    | 317    | 391     |
| 総 額 (円)     |        |     |      | 82,100 | 86,820 | 89,430 | 92,570 | 103,040 |

## 単口用消火栓・空気弁－ 1

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 475 | 575 | 675 | 775 | 875 | 975 | 1075 |

| 品 名            | 価 格     | 高 さ | 重 量  | 数 量     |         |         |         |         |
|----------------|---------|-----|------|---------|---------|---------|---------|---------|
| D35×45蓋付駐禁枠消火栓 | 117,000 | 200 | 93   | 1       | 1       | 1       | 1       | 1       |
| 単口B30          | 10,470  | 300 | 74   |         |         | 1       |         | 2       |
| 単口B20          | 7,330   | 200 | 53   |         |         | 1       | 2       | 1       |
| 単口B10          | 4,720   | 100 | 29.5 |         | 1       |         |         |         |
| 単口C            | 9,680   | 200 | 71   | 1       | 1       | 1       | 1       | 1       |
| スラブ80          | 9,090   | 75  | 72   | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)     |         |     |      | 236     | 265.5   | 289     | 310     | 384     |
| 総 額 (円)        |         |     |      | 135,770 | 140,490 | 143,100 | 146,240 | 156,710 |

|              |         |     |      |         |         |         |         |         |
|--------------|---------|-----|------|---------|---------|---------|---------|---------|
| D35×45蓋付枠空気弁 | 111,500 | 200 | 93   | 1       | 1       | 1       | 1       | 1       |
| 単口B30        | 10,470  | 300 | 74   |         |         | 1       |         | 2       |
| 単口B20        | 7,330   | 200 | 53   |         |         | 1       | 2       | 1       |
| 単口B10        | 4,720   | 100 | 29.5 |         | 1       |         |         |         |
| 単口C          | 9,680   | 200 | 71   | 1       | 1       | 1       | 1       | 1       |
| スラブ80        | 9,090   | 75  | 72   | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)   |         |     |      | 236     | 265.5   | 289     | 310     | 384     |
| 総 額 (円)      |         |     |      | 130,270 | 134,990 | 137,600 | 140,740 | 151,210 |

## 単口用消火栓・空気弁－ 2

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 400 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 480 | 580 | 680 | 780 | 880 | 980 | 1080 |

| 品 名            | 価 格     | 高 さ | 重 量 | 数 量     |         |         |         |         |
|----------------|---------|-----|-----|---------|---------|---------|---------|---------|
| D35×55蓋付駐禁枠消火栓 | 140,600 | 200 | 109 | 1       | 1       | 1       | 1       | 1       |
| 35×55B20       | 8,540   | 200 | 61  |         |         | 1       | 2       | 3       |
| 35×55B10       | 5,340   | 100 | 35  |         | 1       |         |         | 1       |
| 35×55C         | 10,660  | 200 | 81  | 1       | 1       | 1       | 1       | 1       |
| スラブ90          | 10,280  | 80  | 86  | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)     |         |     |     | 276     | 311     | 337     | 372     | 459     |
| 総 額 (円)        |         |     |     | 161,540 | 166,880 | 170,080 | 175,420 | 187,160 |

|              |         |     |     |         |         |         |         |         |
|--------------|---------|-----|-----|---------|---------|---------|---------|---------|
| D35×55蓋付枠空気弁 | 133,000 | 200 | 109 | 1       | 1       | 1       | 1       | 1       |
| 35×55B20     | 8,540   | 200 | 61  |         |         | 1       | 2       | 3       |
| 35×55B10     | 5,340   | 100 | 35  |         | 1       |         |         | 1       |
| 35×55C       | 10,660  | 200 | 81  | 1       | 1       | 1       | 1       | 1       |
| スラブ90        | 10,280  | 80  | 86  | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)   |         |     |     | 276     | 311     | 337     | 372     | 459     |
| 総 額 (円)      |         |     |     | 153,940 | 159,280 | 162,480 | 167,820 | 179,560 |

# 双口用消火栓・空気弁 - 1

|                     |     |     |     |      |      |      |      |
|---------------------|-----|-----|-----|------|------|------|------|
| 高さ (mm) H=地上～底板上面まで | 615 | 725 | 825 | 935  | 1035 | 1145 | 1245 |
| (mm) L=ボックス積み高さ     | 700 | 810 | 910 | 1020 | 1120 | 1230 | 1330 |

| 品 名            | 価 格     | 高 さ | 重 量 | 数 量     |         |         |         |         |         |         |
|----------------|---------|-----|-----|---------|---------|---------|---------|---------|---------|---------|
| D35×55蓋付駐禁栓消火栓 | 140,600 | 200 | 109 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 35×55斜         | 12,040  | 200 | 88  | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 双口B20          | 12,050  | 200 | 90  |         |         | 1       | 1       | 2       | 2       | 3       |
| 双口B10          | 7,630   | 100 | 52  |         | 1       |         | 1       |         | 1       |         |
| 双口C            | 16,160  | 200 | 127 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| スラブ100         | 14,900  | 85  | 132 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)     |         |     |     | 456     | 508     | 546     | 598     | 636     | 688     | 726     |
| 総 額 (円)        |         |     |     | 183,700 | 191,330 | 195,750 | 203,380 | 207,800 | 215,430 | 219,850 |

|              |         |     |     |         |         |         |         |         |         |         |
|--------------|---------|-----|-----|---------|---------|---------|---------|---------|---------|---------|
| D35×55蓋付栓空気弁 | 133,000 | 200 | 109 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 35×55斜       | 12,040  | 200 | 88  | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 双口B20        | 12,050  | 200 | 90  |         |         | 1       | 1       | 2       | 2       | 3       |
| 双口B10        | 7,630   | 100 | 52  |         | 1       |         | 1       |         | 1       |         |
| 双口C          | 16,160  | 200 | 127 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| スラブ100       | 14,900  | 85  | 132 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)   |         |     |     | 456     | 508     | 546     | 598     | 636     | 688     | 726     |
| 総 額 (円)      |         |     |     | 176,100 | 183,730 | 188,150 | 195,780 | 200,200 | 207,830 | 212,250 |

# 双口用消火栓・空気弁 - 2

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 410 | 520 | 620 | 730 | 830 | 940  | 1040 |
| (mm) L=ボックス積み高さ     | 495 | 605 | 705 | 815 | 915 | 1025 | 1125 |

| 品 名         | 価 格     | 高 さ | 重 量 | 数 量     |         |         |         |         |         |         |
|-------------|---------|-----|-----|---------|---------|---------|---------|---------|---------|---------|
| 47×67蓋付栓消火栓 | 171,600 | 200 | 216 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 双口B20       | 12,050  | 210 | 90  |         |         | 1       | 1       | 2       | 2       | 3       |
| 双口B10       | 7,630   | 110 | 52  |         | 1       |         | 1       |         | 1       |         |
| 双口C         | 16,160  | 210 | 127 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| スラブ100      | 14,900  | 85  | 132 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)  |         |     |     | 475     | 527     | 565     | 617     | 655     | 707     | 745     |
| 総 額 (円)     |         |     |     | 202,660 | 210,290 | 214,710 | 222,340 | 226,760 | 234,390 | 238,810 |

|             |         |     |     |         |         |         |         |         |         |         |
|-------------|---------|-----|-----|---------|---------|---------|---------|---------|---------|---------|
| 47×67蓋付栓空気弁 | 156,900 | 200 | 193 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 双口B20       | 12,050  | 210 | 90  |         |         | 1       | 1       | 2       | 2       | 3       |
| 双口B10       | 7,630   | 110 | 52  |         | 1       |         | 1       |         | 1       |         |
| 双口C         | 16,160  | 210 | 127 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| スラブ100      | 14,900  | 85  | 132 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 重 量 (kg)  |         |     |     | 452     | 504     | 542     | 594     | 632     | 684     | 722     |
| 総 額 (円)     |         |     |     | 187,960 | 195,590 | 200,010 | 207,640 | 212,060 | 219,690 | 224,110 |

## 円形1号

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 450 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 490 | 640 | 740 | 840 | 940 | 1040 | 1140 |

| 品 名      | 価 格    | 高 さ | 数 量    |        |        |        |        |         |
|----------|--------|-----|--------|--------|--------|--------|--------|---------|
| 円形1号蓋付枠R | 39,900 | 150 | 1      | 1      | 1      | 1      | 1      | 1       |
| RB25A15  | 12,730 | 150 |        | 1      | 1      | 1      | 1      | 1       |
| RB25B30  | 13,040 | 300 |        |        |        | 1      | 1      | 1       |
| RB25B20  | 10,690 | 200 |        |        | 1      |        |        | 1       |
| RB25B10  | 6,890  | 100 |        |        | 1      |        | 1      |         |
| RB25C30  | 15,290 | 300 |        | 1      | 1      | 1      | 1      | 1       |
| RB25AC30 | 22,530 | 300 | 1      |        |        |        |        |         |
| RB25P4   | 17,010 | 40  | 1      | 1      | 1      | 1      | 1      | 1       |
| 総 額 (円)  |        |     | 79,440 | 84,930 | 91,820 | 95,620 | 97,970 | 104,860 |

## 円形2号

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 450 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 490 | 640 | 740 | 840 | 940 | 1040 | 1140 |

| 品 名      | 価 格    | 高 さ | 数 量     |         |         |         |         |         |
|----------|--------|-----|---------|---------|---------|---------|---------|---------|
| 円形2号蓋付枠R | 67,710 | 150 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB35A15  | 23,530 | 150 |         | 1       | 1       | 1       | 1       | 1       |
| RB35B30  | 24,530 | 300 |         |         |         | 1       | 1       | 1       |
| RB35B20  | 13,840 | 200 |         |         | 1       |         |         | 1       |
| RB35B10  | 9,810  | 100 |         |         | 1       |         | 1       |         |
| RB35C30  | 29,220 | 300 |         | 1       | 1       | 1       | 1       | 1       |
| RB35AC30 | 44,590 | 300 | 1       |         |         |         |         |         |
| RB35P4   | 22,840 | 40  | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)  |        |     | 135,140 | 143,300 | 153,110 | 157,140 | 167,830 | 177,640 |

## 円形3号

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 300 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 340 | 540 | 640 | 740 | 840 | 940 | 1040 |

| 品 名      | 価 格     | 高 さ | 数 量     |         |         |         |         |         |
|----------|---------|-----|---------|---------|---------|---------|---------|---------|
| 円形3号蓋付枠R | 120,900 | 100 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB50A20  | 38,420  | 200 |         | 1       | 1       | 1       | 1       | 1       |
| RB50B30  | 26,440  | 300 |         |         |         |         | 1       |         |
| RB50B20  | 18,430  | 200 |         |         |         | 1       |         | 2       |
| RB50B10  | 16,230  | 100 |         |         | 1       | 1       |         |         |
| RB50C30  | 26,030  | 300 |         |         | 1       | 1       | 1       | 1       |
| RB50C20  | 19,600  | 200 |         | 1       | 1       |         |         |         |
| RB50AC20 | 40,020  | 200 | 1       |         |         |         |         |         |
| RB50P4   | 25,940  | 40  | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)  |         |     | 186,860 | 204,860 | 221,090 | 227,520 | 229,720 | 237,730 |

|            |         |     |         |         |         |         |         |         |
|------------|---------|-----|---------|---------|---------|---------|---------|---------|
| 円形3号蓋付枠消防R | 126,800 | 100 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB50A20    | 38,420  | 200 |         | 1       | 1       | 1       | 1       | 1       |
| RB50B30    | 26,440  | 300 |         |         |         |         | 1       |         |
| RB50B20    | 18,430  | 200 |         |         |         | 1       |         | 2       |
| RB50B10    | 16,230  | 100 |         |         | 1       | 1       |         |         |
| RB50C30    | 26,030  | 300 |         |         | 1       | 1       | 1       | 1       |
| RB50C20    | 19,600  | 200 |         | 1       | 1       |         |         |         |
| RB50AC20   | 40,020  | 200 | 1       |         |         |         |         |         |
| RB50P4     | 25,940  | 40  | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)    |         |     | 192,760 | 210,760 | 226,990 | 233,420 | 235,620 | 243,630 |



## 円形4号

|                     |     |     |     |     |     |     |      |
|---------------------|-----|-----|-----|-----|-----|-----|------|
| 高さ (mm) H=地上～底板上面まで | 300 | 500 | 600 | 700 | 800 | 900 | 1000 |
| (mm) L=ボックス積み高さ     | 340 | 540 | 640 | 740 | 840 | 940 | 1040 |

| 品 名      | 価 格     | 高 さ | 数 量     |         |         |         |         |         |         |
|----------|---------|-----|---------|---------|---------|---------|---------|---------|---------|
| 円形4号蓋付枠R | 163,500 | 100 | 1       | 1       | 1       | 1       | 1       | 1       |         |
| RB60A20  | 49,600  | 200 |         | 1       | 1       | 1       | 1       | 1       |         |
| RB60B30  | 38,580  | 300 |         |         |         |         | 1       |         |         |
| RB60B20  | 28,650  | 200 |         |         |         | 1       |         | 2       |         |
| RB60B10  | 17,630  | 100 |         |         | 1       | 1       |         |         |         |
| RB60C30  | 37,510  | 300 |         |         | 1       | 1       | 1       | 1       |         |
| RB60C20  | 28,650  | 200 |         | 1       | 1       |         |         |         |         |
| RB60AC20 | 49,200  | 200 | 1       |         |         |         |         |         |         |
| RB60P4   | 30,470  | 40  | 1       | 1       | 1       | 1       | 1       | 1       |         |
| 総 額 (円)  |         |     | 243,170 | 272,220 | 289,850 | 298,710 | 309,730 | 319,660 | 338,380 |

|            |         |     |         |         |         |         |         |         |         |
|------------|---------|-----|---------|---------|---------|---------|---------|---------|---------|
| 円形4号蓋付枠消防R | 199,200 | 100 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| RB60A20    | 49,600  | 200 |         | 1       | 1       | 1       | 1       | 1       | 1       |
| RB60B30    | 38,580  | 300 |         |         |         |         |         | 1       |         |
| RB60B20    | 28,650  | 200 |         |         |         |         | 1       |         | 2       |
| RB60B10    | 17,630  | 100 |         |         | 1       | 1       |         |         |         |
| RB60C30    | 37,510  | 300 |         |         |         | 1       | 1       | 1       | 1       |
| RB60C20    | 28,650  | 200 |         | 1       | 1       |         |         |         |         |
| RB60AC20   | 49,200  | 200 | 1       |         |         |         |         |         |         |
| RB60P4     | 30,470  | 40  | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)    |         |     | 278,870 | 307,920 | 325,550 | 334,410 | 345,430 | 355,360 | 374,080 |

## 角形1号

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 540 | 640 | 740 | 840 | 940 | 1040 | 1140 |

| 品 名       | 価 格     | 高 さ | 数 量     |         |         |         |         |         |         |
|-----------|---------|-----|---------|---------|---------|---------|---------|---------|---------|
| 角形1号蓋付枠R  | 155,100 | 100 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| RB5040A20 | 41,160  | 200 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| RB5040B20 | 25,730  | 200 |         |         | 1       |         | 1       | 1       | 2       |
| RB5040B10 | 15,770  | 100 |         | 1       |         | 1       |         | 1       |         |
| RB5040C40 | 44,550  | 400 |         |         |         | 1       | 1       | 1       | 1       |
| RB5040C20 | 24,610  | 200 | 1       | 1       | 1       |         |         |         |         |
| RB5040P4  | 35,050  | 40  | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)   |         |     | 255,920 | 271,690 | 281,650 | 291,630 | 301,590 | 317,360 | 327,320 |

## 角形2号

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 540 | 640 | 740 | 840 | 940 | 1040 | 1140 |

| 品 名       | 価 格     | 高 さ | 数 量     |         |         |         |         |         |         |
|-----------|---------|-----|---------|---------|---------|---------|---------|---------|---------|
| 角形2号蓋付枠R  | 217,800 | 100 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| RB6050A20 | 55,250  | 200 | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| RB6050B20 | 33,020  | 200 |         |         | 1       |         | 1       | 1       | 2       |
| RB6050B10 | 24,600  | 100 |         | 1       |         | 1       |         | 1       |         |
| RB6050C40 | 62,290  | 400 |         |         |         | 1       | 1       | 1       | 1       |
| RB6050C20 | 31,000  | 200 | 1       | 1       | 1       |         |         |         |         |
| RB6050P4  | 39,890  | 40  | 1       | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)   |         |     | 343,940 | 368,540 | 376,960 | 399,830 | 408,250 | 432,850 | 441,270 |

## 角形44×33型

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 540 | 640 | 740 | 840 | 940 | 1040 | 1140 |

| 品 名         | 価 格     | 高 さ | 数 量     |         |         |         |         |         |
|-------------|---------|-----|---------|---------|---------|---------|---------|---------|
| 角形44×33蓋付枠R | 136,600 | 100 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB4433A20   | 32,340  | 200 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB4433B20   | 23,100  | 200 |         |         | 1       |         | 1       | 2       |
| RB4433B10   | 14,170  | 100 |         | 1       |         | 1       |         | 1       |
| RB4433C40   | 40,430  | 400 |         |         |         | 1       | 1       | 1       |
| RB4433C20   | 23,100  | 200 | 1       | 1       | 1       |         |         |         |
| RB4433P4    | 26,120  | 40  | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)     |         |     | 218,160 | 232,330 | 241,260 | 249,660 | 258,590 | 281,690 |

## 角形55×35型

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 540 | 640 | 740 | 840 | 940 | 1040 | 1140 |

| 品 名         | 価 格     | 高 さ | 数 量     |         |         |         |         |         |
|-------------|---------|-----|---------|---------|---------|---------|---------|---------|
| 角形55×35蓋付枠R | 160,500 | 100 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB5535A20   | 42,810  | 200 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB5535B20   | 26,530  | 200 |         |         | 1       |         | 1       | 2       |
| RB5535B10   | 16,770  | 100 |         | 1       |         | 1       |         | 1       |
| RB5535C40   | 44,180  | 400 |         |         |         | 1       | 1       | 1       |
| RB5535C20   | 27,570  | 200 | 1       | 1       | 1       |         |         |         |
| RB5535P4    | 38,220  | 40  | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)     |         |     | 269,100 | 285,870 | 295,630 | 302,480 | 312,240 | 338,770 |

## 角形60×40型

|                     |     |     |     |     |     |      |      |
|---------------------|-----|-----|-----|-----|-----|------|------|
| 高さ (mm) H=地上～底板上面まで | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 |
| (mm) L=ボックス積み高さ     | 530 | 630 | 730 | 830 | 930 | 1030 | 1130 |

| 品 名         | 価 格     | 高 さ | 数 量     |         |         |         |         |         |
|-------------|---------|-----|---------|---------|---------|---------|---------|---------|
| 角形60×40蓋付枠R | 186,400 | 100 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB6040A20   | 50,610  | 200 | 1       | 1       | 1       | 1       | 1       | 1       |
| RB6040B20   | 31,460  | 200 |         |         | 1       |         | 1       | 2       |
| RB6040B10   | 19,350  | 100 |         | 1       |         | 1       |         | 1       |
| RB6040C40   | 58,760  | 400 |         |         |         | 1       | 1       | 1       |
| RB6040C20   | 30,070  | 200 | 1       | 1       | 1       |         |         |         |
| RB6040P3    | 41,700  | 30  | 1       | 1       | 1       | 1       | 1       | 1       |
| 総 額 (円)     |         |     | 308,780 | 328,130 | 340,240 | 356,820 | 368,930 | 400,390 |

1. The first part of the document discusses the importance of maintaining accurate records of all transactions and activities. It emphasizes that proper record-keeping is essential for transparency and accountability, particularly in financial matters. The text suggests that organizations should implement robust systems to track and document every aspect of their operations, from procurement to sales.

2. The second part of the document addresses the challenges associated with data management and security. It highlights the need for organizations to protect their sensitive information from unauthorized access and breaches. The text recommends the use of secure storage solutions and the implementation of strict access controls to ensure that data remains confidential and intact.

3. The third part of the document focuses on the importance of regular audits and reviews. It states that periodic assessments are necessary to identify potential weaknesses and areas for improvement. The text encourages organizations to conduct thorough audits of their financial records, operational processes, and compliance with relevant regulations. This helps to ensure that the organization is operating efficiently and effectively.

4. The fourth part of the document discusses the role of technology in modern business operations. It notes that the adoption of new technologies can significantly enhance productivity and streamline workflows. The text suggests that organizations should invest in the latest software and hardware solutions to stay competitive in the market. It also emphasizes the importance of training employees to effectively use these technologies.

5. The fifth part of the document addresses the importance of maintaining strong relationships with stakeholders. It states that effective communication and collaboration are key to the success of any organization. The text recommends that organizations should regularly engage with their customers, suppliers, and other stakeholders to gather feedback and address their concerns. This helps to build trust and loyalty, which are essential for long-term success.

6. The sixth part of the document discusses the importance of staying up-to-date with industry trends and regulations. It notes that the business environment is constantly evolving, and organizations must adapt to these changes to remain relevant. The text suggests that organizations should actively monitor industry developments and regulatory updates. This allows them to anticipate potential challenges and take proactive measures to address them.

7. The seventh part of the document focuses on the importance of financial management. It states that sound financial practices are crucial for the sustainability of any organization. The text recommends that organizations should maintain a clear budget and track their expenses carefully. It also emphasizes the importance of regular financial reporting to management and stakeholders. This helps to ensure that the organization is operating within its financial means and is able to make informed decisions about its future.

8. The eighth part of the document discusses the importance of human resources management. It notes that the quality of the workforce is a key factor in the success of any organization. The text suggests that organizations should invest in the development and training of their employees. It also emphasizes the importance of creating a positive work environment that fosters productivity and innovation. This helps to attract and retain top talent, which is essential for long-term success.

9. The ninth part of the document addresses the importance of risk management. It states that identifying and mitigating potential risks is a critical part of any business strategy. The text recommends that organizations should conduct regular risk assessments to identify potential threats to their operations. It also suggests that organizations should develop contingency plans to address these risks. This helps to ensure that the organization is able to respond effectively to any unforeseen circumstances.

10. The tenth part of the document discusses the importance of sustainability and social responsibility. It notes that organizations have a responsibility to their communities and the environment. The text suggests that organizations should adopt sustainable practices and contribute to social development. This helps to build a positive reputation and ensures that the organization is able to operate in a socially responsible manner.





本社 / 〒630-8588 奈良市南京終町四丁目247  
工場 TEL. 0742-50-5050(代)  
FAX. 0742-50-2828

奈良工場 / 〒630-1122 奈良市平清水町558  
TEL. 0742-95-0131(代)  
FAX. 0742-95-0130

九州営業所 / 〒820-0101 福岡県飯塚市綱分1471  
工場 TEL. 0948-82-1535(代)  
FAX. 0948-82-1536

滋賀営業所 / 〒520-3333 滋賀県甲賀市甲南町希望ヶ丘3-25-1  
TEL・FAX. 0748-86-8888

URL. <https://www.kusatake.co.jp>